

Our Products

110
Series
Products

PTSL110M Automatic Door Lock

Virtual anti-theft password technology, add any number before and after the correct password, without shielding people around, effectively protect the password, and easily change the ball lock. Suitable for inclement weather, public management places (oil fields, mines, schools, factories, etc.)

Unlocking Methods



Password



Key



60/70mm deadbolt mortise

Product model: PTSL110M

Material: Zinc Alloy

Color: Silver

User capacity: 10 Users

Password length: 6-8 digits

Door Thickness: 38-48mm

Power supply: 4 AA alkaline batteries

Mortise: 60/70mm adjustable mortise

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110W

Code Lock

Security & Durability BACKUP KEY BACKlit keypad solid construction top security cylinder
Protect your home and enjoy a peace of mind with ONLENSE

Unlocking Methods



Password



Key



60/70mm deadbolt mortise



Product Model: P TSL110W
Material: Zinc Alloy
Color: Black
User Capacity: 10 Users
Password Length: 4-12 digits
Door Thickness: 38-48mm
Power Supply: 4 AA alkaline batteries
Mortise: 60/70mm adjustable mortise
Static Power Consumption: <30uA
Working Power Consumption: ≤200mA
Working Temperature: -20 °C~70 °C
Working Humidity: 20%~80%RH
Working Voltage: 4.8~6.5V DC
Battery Life: One year of normal standby

PTSL110D

Code Lock

Farewell key, password unlock, cost-effective

Unlocking Methods



Password



Key



60/70mm deadbolt mortise



Product model: P TSL110D
Material: Zinc Alloy
Color: Black
User Capacity: 10 Users
Password Length: 4-12 digits
Door Thickness: 38-48mm
Power Supply: 4 AA alkaline batteries
Mortise: 60/70mm adjustable mortise
Static Power Consumption: <30uA
Working Power Consumption: ≤200mA
Working Temperature: -20°C~70°C
Working Humidity: 20%~80%RH
Working Voltage: 4.8~6.5V DC
Battery Life: One year of normal standby

PTSL110BBL

Bluetooth Smart Lock

Remotely authorization to send electric keys to other people with APP downloaded at any time. The administrator can limit user keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



Bluetooth



Card



Password



Key



60/70mm deadbolt mortise



Product model: PT SL110BBL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110WBL

Bluetooth Fingerprint Lock

Fingerprint control door lock, safe and convenient, no need to wait for the time to open the door, easy to go home.

Unlocking Methods



Bluetooth



Card



Password



Key



60/70mm deadbolt mortise



Product model: PT SL110WBL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110DBL

Bluetooth Smart Lock

Remotely authorization to send electric keys to other people with APP downloaded at any time. The administrator can limit user keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



Bluetooth



Card



Password



Key



60/70mm deadbolt mortise



Product model: P TSL110DBL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110WBL-F

Bluetooth Fingerprint Lock

Fingerprint control door lock, safe and convenient, no need to wait for the time to open the door, easy to go home.

Unlocking Methods



Bluetooth



Fingerprint



Card



Password



Key



60/70mm deadbolt mortise



Product model: P TSL110WBL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110DBL-F

Electronic Keypad Deadbolt Lock

Remote authorization to send electric keys to other people with APP downloaded at any time.
The administrator can limit users' keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



Bluetooth



Fingerprint



Card



Password



Key



60/70mm deadbolt mortise



Model: PTSL110DBL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL110BBL-F

Bluetooth Fingerprint Lock

Remote authorization to send electric keys to other people with APP downloaded at any time.
The administrator can limit users' keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



Bluetooth



Fingerprint



Card



Password



Key



60/70mm deadbolt mortise



Model: PTSL110BBL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Passcode, 150 Passcodes, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Password Length: 6-9 Digits

Door Thickness: 38-48mm

Power Supply: 4 AA alkaline batteries

Mortise: 60/70mm Adjustable Mortise


Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



200

Series
Products



PTSL200BL

Mobilephone Bluetooth Lock

Automatically lock, without locking by hand. leave only after closing the door.
Never have to worry about the door being unlocked again.

Unlocking Methods



Bluetooth



Password



Key

Model: PTSL200BL

Material: Zinc Alloy

Color: Silver, Black

User capacity: 1 Admin Passcode, 150 Passcodes,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA alkaline batteries

Password Length: 6-9 digits

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



PTSL200MF

Electronic Card Lock

The lock use mifare card (multi sectors, divisional management) One-Card-Pass easy management, suitable for school, factory.

Unlocking Methods



Card



Password



Key

Model: PTSL200MF

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 3 Admin Users, 297 Passcode/Card Users

Power Supply: 4 AA alkaline batteries

Password Length: 6-8 digits

Static Power Consumption: <50uA

Working Power Consumption: ≤200mA

The Thickness Of The Door: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



PTSL200TM

Apartment Code Lock

Strong & Durable: Covered by stainless steel, iButton card is the most durable intelligent card in the world. Suitable for apartment and rental house.

Unlocking Methods



TM Card



Password



Key

Model: PTSL200TM

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 3 Admin Users, 297 Passcode/Card Users

Power Supply: 4 AA alkaline batteries

Password Length: 6-8 digits

Static Power Consumption: <50uA

Working Power Consumption: ≤200mA

The Thickness Of The Door: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



PTSL200FM

Fingerprint Lock

Remotely authorization to send electric keys to other people with APP downloaded at any time. The administrator can limit user keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



Fingerprint



Password



Key

Model: PTSL200FM

Material: Zinc Alloy

Color: silver, black

User capacity: 1 Admin Code, 100 Password Users, 150 Fingerprint Users

Power Supply: 4 AA alkaline batteries

Password Length: 6-8 digits

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



PTSL200RF

Hotel Lock

Various functions: Standalone type, RF induction type, Mifare type

Two unlocking ways: Card, Mechanical key

Unlocking Methods



Card



Key

Model: PTSL200RF

Material: Zinc Alloy

Color: silver

Power Supply: 4 AA alkaline batteries

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



210

Series
Products



PTSL210BL

Touchscreen Bluetooth Lock

Remotely authorization to send electric keys to other people with APP downloaded at any time. The administrator can limit user keys valid time, freeze, unfreeze and delete electric keys.

Unlocking Methods



App



Password



Card



Key

Model: PTSL210BL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Battery life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



PTSL210BL-F

Touchscreen Fingerprint Lock

Semiconductor Fingerprint Reader, Voice Instruction, Easy Operation

Unlocking Methods



App



Fingerprint



Card



Password



Key



Model: PTSL210BL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users,

300 Card/fingerprint Users, Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA

Working Power Consumption ≤200mA

Door Thickness: 38-50mm

Battery Life: One year of normal standby

Optional Mortises




60/70mm adjustable single latch



60mm stainless steel mortise



6072 Euro standard S/S mortise



350

Series
Products



PTSL350BBL-F

Touchscreen Bluetooth Lock

Automatic smart indoor door lock
Automatically unlock
Automatic lock
Privacy function



60/70mm deadbolt mortise

Unlocking Methods



APP



Fingerprint



Password



Card



Key

Model: PTSL350BBL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card/Fingerprint Users, Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <50uA


Working Power Consumption: ≤250mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL350BBL

Touchscreen Bluetooth Lock

Automatic smart indoor door lock
Automatically unlock
Automatic lock
Privacy function



60/70mm deadbolt mortise



Unlocking Methods



APP



Password



Card



Key

Model: PTSL350BBL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA


Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL350ABL-F

Touchscreen Bluetooth Lock

Automatic smart indoor door lock
Automatically unlock
Automatic lock
Privacy function



Unlocking Methods



APP



Fingerprint



Password



Card



Key

Model: PTSL350ABL-F

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA


Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



PTSL350ABL

Touchscreen Bluetooth Lock

Automatic smart indoor door lock
Automatically unlock
Automatic lock
Privacy function

Unlocking Methods



APP



Password



Card



Key

Model: PTSL350ABL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA


Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery Life: One year of normal standby



800

Series
Products



PTSL800BL-F

Touchscreen Bluetooth Lock

Die-cast zinc alloy body, High quality fingerprint sensor, Tempered glass touch screen, Ultra thin panel and handle, Anti-theft Super B grade cylinder, Hidden mechanical key-hole, 304 stainless steel mortise, Deadbolt lock switch, Compatible with different mortise types (6068, 5572, 6072)

Unlocking Methods



APP



Fingerprint



Password



Card



Key

Model: PTSL800BL-F

Material: Zinc Alloy Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <50uA

Working Power Consumption: ≤200mA

Door Thickness: 40-60mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery life: One year of normal standby

Optional Mortises




5572



6072



6068



450

Series
Products

PTSL450BL

Broken bridge aluminum fingerprint lock

Broken bridge aluminum fingerprint lock, APP remote unlocking, distance is not problem, bid farewell to the cumbersome key era, can be used in a variety of scenarios.

Unlocking Methods



APP



Password



Card



Key

Model: PTSL450BL

Material: Zinc Alloy Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <65uA

Working Power Consumption: ≤200mA


Door Thickness: 35-55mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery life: One year of normal standby

Optional Mortises



PTSL450BL-F

Broken Bridge Aluminum Fingerprint Lock

Broken bridge aluminum fingerprint lock, App remote unlocking, No restricted by distance, Farewell to traditional key, Suitable for various scenarios

Unlocking Methods



APP



Fingerprint



Password



Card



Key

Model: PTSL450BL-F

Material: Zinc Alloy Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,

Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA


Door Thickness: 38-50mm

Working Temperature: -20℃~70℃

Working Humidity: 20%~80%RH

Battery life: One year of normal standby

Optional Mortises



PTSL1TY-F

Series
Products



PTSL1TY-F Handle Lock

Broken bridge aluminum fingerprint lock, aluminum alloy narrow frame special technology makes it easier for you, APP remote unlocking distance is no longer a problem, bid farewell to the cumbersome key era, can be applied to a variety of scenarios.



Unlocking Methods



APP



Fingerprint



Password



Key



60/70mm adjustable single latch

Model: PTSL1TY-F

Material: Zinc Alloy

Color: Black

User Capacity: 5 Administrators (Fingerprint/Password)
295 Normal Users (Fingerprint/Password)
Unlimited App Temporary Passwords

Power Supply: 4 AAA Alkaline Batteries

Password Length: 4-10 Digits

Static Power Consumption: <30uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery life: One year of normal standby



600

Series
Products



PTSL600BL

Touchscreen Bluetooth Lock

Broken bridge aluminum fingerprint lock, aluminum alloy narrow frame special technology, APP remote unlocking distance is no longer a problem, bid farewell to the cumbersome key era.

Unlocking Methods



APP



Password



Card



Key



Model: PTSL600BL

Material: Zinc Alloy

Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries

Password Length: 6-9 Digits

Static Power Consumption: <65uA


Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery life: One year of normal standby



PTSL600BL-F

Touchscreen Bluetooth Lock

Broken bridge aluminum fingerprint lock, aluminum alloy narrow frame special technology, APP remote unlocking distance is no longer a problem, bid farewell to the cumbersome key era.

Unlocking Methods



APP



Fingerprint



Password



Card



Key



Model: PTSL600BL-F

Material: Zinc Alloy Color: Silver, Black

User Capacity: 1 Admin Password, 150 Password Users, 300 Card/Fingerprint Users,
Unlimited Bluetooth eKey Users

Power Supply: 4 AA Alkaline Batteries Password Length: 6-9 Digits

Static Power Consumption: <50uA

Working Power Consumption: ≤200mA

Door Thickness: 38-50mm

Working Temperature: -20°C~70°C

Working Humidity: 20%~80%RH

Battery life: One year of normal standby

